



SAFETY DATA SHEET

Complies with OSHA Standard 29 CFR 910.1200

Australian
Wire Type 302
Stainless Steel

1. Substance/Preparation and Company Identification

Product Name: Metal, 302 Stainless Steel, for Australian Wire products
Product Use: Orthodontic use
Manufacturer Name: Phoenix Orthodontics
Manufacturer Address: 3250 Palladian Village Drive
Marietta, GA 30066
Business Phone: 770-643-8896
Emergency Phone: 770-643-8896

Exposure to specialty steel alloys occurs primarily from inhalation of dust or fumes. However, constituents of these alloys may cause effects directly upon the skin or eyes. Certain constituents may also be harmful if swallowed. Certain constituents may also be harmful if swallowed.

2. Composition/Information on Ingredients

Ingredients	%	PEL/TLV HOUR TWA UNLESS OTHERWISE NOTED
IRON* 13097-37-1	Balance	PEL 10.00 MG/M3 TLV 5.0 MG/M3
CHROMIUM 7440-47-3	18.0	PEL 1.0 MG/M3 TLV 0.5 MG/M3
NICKEL 7440-02-0	9.0	PEL 1.0 MG/M3 TLV 1.0 MG/M3
MANGANESE 7439-96-5	2.0	PEL C5.0 MG/M3 TLV C5.0 MG/M3
COBALT 7440-48-4	.75	PEL 0.1 MG/M3 TLV 0.1 MG/M3

*These substances are regulated in their oxide form.

3. Hazards Identification

- 3.1** Specialty steel alloys are generally not considered hazardous in the form shipped (solid bars, billets, wire, etc.), however, if your process involves grinding, melting, welding, cutting, or any other process that causes a release of dust or fume, hazardous levels of dust or fume of the constituents of these alloys could be generated. The following is a list of potential health effects for all hazardous elements that are possibly contained in any of our alloys. Please refer to Section II titled "hazardous Ingredients" for a list of those specific elements contained in this particular alloy.

Health Effects

Iron oxide: Has caused irritation of the eyes, nose, and skin of excremental animals. It may have the same effect on humans.

Chromium: Ferrochrome alloys have been associated with lung changes in workers exposed to these alloys.

Cobalt: Fume or dust causes irritation of the nose and throat and may cause an allergic skin rash. Also has been reported to cause respiratory disease with symptoms ranging from cough and shortness of breath to permanent disability and death. The symptoms frequently go away when exposure has stopped, but sometimes the symptoms progress after exposure has ceased.

Manganese: Inhalation of manganese fume may cause "metal fume fever" with symptoms of chills, fever, nausea, cough, dry throat, weakness, muscle aches, and a sweet or metallic taste in the mouth. Prolonged or repeated exposure may affect the nervous system, with difficulty in walking and balancing, weakness or cramps in the legs. Hoarseness of the voice, trouble with memory or judgment, unstable emotions or unusual irritability. The respiratory system may also be affected by a pneumonia like illness with symptoms of coughing, fever, chills, body ache, chest pain and other common signs of pneumonia.

Nickel: Fumes are respiratory irritants and may cause respiratory disease, skin contact can also cause an allergic skin rash, nickel and its compounds have been reported to cause cancer of the lungs and sinuses.

4. First Aid Measures

- 4.1 **Inhalation:** Move person to fresh air until recovered. Consult a physician.
- 4.2 **Skin Contact:** Wash with water and mild detergent.
- 4.3 **Eye Contact:** Flush thoroughly with water, consult a physician.
- 4.4 **Ingestion:** While ingestion of large enough quantities to cause health effects is unlikely, consult a physician if it occurs.

5. Fire Fighting Measures

- 5.1 **Suitable Extinguishing Media:** N/A
- 5.2 **Unsuitable Extinguishing Media:** N/A
- 5.3 **Particular Hazards:** See step 3.
- 5.4 **Protective Equipment for Fire Fighters:** N/A

6. Accidental Release Measures

6.1 Personal Precautions:

Ventilation:

If your process causes a release of dust or fumes, use local and general exhaust ventilation to keep airborne concentrations of dust or fumes below the TLV.

Respiratory Protection:

If your process causes a release of dust or fumes in excess of the permissible exposure limit, use approved respirators for protection against airborne dust or fumes should be worn. Respirators should be used in accordance with 29CFR 1910.134.

Protective Equipment:

Gloves and barrier creams may be necessary to prevent skin sensitization and dermatitis. If your process involves grinding or any other action that causes the release of dust or fumes, approved safety glasses or goggles should be worn.

6.2 Environmental Precautions: No hazard

6.3 Cleaning Methods: N/A

7. Handling and Storage

- 7.1 **Handling:** See step 6.1
- 7.2 **Storage:** N/A
- 7.3 **Storage Conditions:** N/A

8. Exposure Controls/Personal Protection

Minimize contact as outlined in step 6.1

9. Physical and Chemical Properties

- 9.1 **Form:** Wire
Color: Solid
Odor: Odorless
- 9.2 **Change of State:** Liquid
Melting Point/Range: 2400°F to 2800°F
Boiling Point: High
- 9.3 **Flash Point:** N/A
- 9.4 **Ignition Point:** N/A
- 9.5 **Vapor Pressure (20°C):** NIL
- 9.6 **Density (20°C):** 7.5 to 8.5 specific gravity
- 9.7 **Solubility in:** **Water (20°C):** Insoluble
Organic Solvent (20°C): Insoluble
- 9.8 **PH-Value (at 10g/1H₂O):** N/A
- 9.10 **Viscosity (20°C):** Solid

10. Stability and Reactivity

- 10.1 **Thermal Decomposition:** None
- 10.2 **Conditions to Avoid:** None
- 10.3 **Materials to Avoid:** None
- 10.4 **Hazardous Decomposition Products:** None

11. Toxicological Information

- 11.1 **Oral Toxicity:** Reference Step 3 and Step 6.1
- 11.2 **Inhalation:** Reference Step 3 and Step 6.1
- 11.3 **Skin Irritation:** Reference Step 3 and Step 6.1
- 11.4 **Sensitization:** Reference Step 3 and Step 6.1
- 11.5 **Eye Irritation:** Reference Step 3 and Step 6.1
- 11.6 **Further Details:** None

12. Ecological Information

- 12.1 **Acute Toxicity in Fish (LC-50/48h):** Not defined
- 12.2 **Bacteria Toxicity (EC-0):** Not defined
- 12.3 **Biodegradability:** Not defined
- 12.4 **Further Details:**

13. Disposal Considerations

- 13.1 **Product:** N/A
- 13.2 **Packaging:** N/A
- 13.3 **Waste Disposal Code:** N/A

14. Transport Information

- 14.1 **Overland Transport ADR/RID/GGVS/GGVE:** N/A
- 14.2 **Sea Transport GGVSEA/IMDG-Code:** N/A
- 14.3 **Air Transport ICAO/IATA-DGR:** N/A
- 14.4 **Inland Waterway Transport ADNR:** N/A
- 14.5 **Further Details:** Product is not considered dangerous for transport.

15. Regulatory Information

Preparation as defined by the (German) Chemicals Act (dated 4/03/1990).

- 15.1 **Labeling:** N/A

Product Contains:

Danger Symbol:

R-Sentences R36/37/38:

S-Sentences S26:

S-Sentences S28:

- 15.2 **National Regulation:**

VbF:

TA-Air:

Water Pollution 1:

16. Other Information

- 16.1 The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. Therefore, it should not be construed as guaranteeing specific properties.

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.