

2.

SAFETY DATA SHEET

505 Cadmium Free Silver Solder

Complies with OSHA Standard 29 CFR 910.1200

1. Product and Company Identification

Product Name:	505 Cadmium Free Silver Solder; Silver-Copper-Zinc-Nickel Brazing Alloys
Product Use:	Solder for metal brazing.
Manufacturer Name:	Phoenix Orthodontics
Manufacturer Address:	3250 Palladian Village Drive
	Marietta, GA 30066
Business Phone:	770-643-8896
Emergency Phone:	770-643-8896
Revision Date:	May 1, 2020
Hazards Information	
<u>Classifications</u>	

Skin Sensitization: Carcinogenicity: Specific Target Organ Toxicity, Single Exposure: Hazard Category 3 Label Symbol(s): Label Signal Word(s):

Hazard Category 1B Hazard Category 2 Health Hazard, Exclamation Point Warning

Label Hazard Statement(s) May cause respiratory irritation. May cause an allergic skin reaction Suspected of causing cancer by inhalation.

Label Precautionary Statement(s)

Do not handle until all safety precautions have been read and understood.

Obtain special instructions before use.

Avoid breathing dust or fumes.

Use only outdoors or in a well-ventilated area. Store locked up.

Wear protective gloves and eye/face protection.

If skin irritation or rash occurs, get medical advice or attention.

If exposed or concerned, get medical advice or attention.

IF ON SKIN: Wash with plenty of water. Wash contaminated clothing before reuse. Contaminated work clothing must not be allowed out of the workplace.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a Poison Control Center or doctor if you feel unwell.

Dispose of contents and container in accordance with applicable regulations. The acute toxicities of 20-90% of the products' ingredients are unknown.

WARNING: These products contain chemicals known to the State of California to cause cancer.

3. Physical/Chemical Characteristics

Ingredient	CAS Number	%	IMPURITIES
Copper	7440-50-8	15-70	None known
Nickel	7440-02-2	<1-10	None known
Silver	7440-22-4	10-70	None known
Zinc	7440-66-6	5-30	None known

4. First Aid Measures

Eves Not applicable. Skin Not applicable.

Ingestion

Not applicable.

Inhalation

If signs and symptoms of toxicity are observed, remove subject from area, administer oxygen, and seek medical attention. Keep the subject warm and at rest. Perform artificial respiration if breathing has stopped.

Note to Physician or Poison Control Center

None of the components are acutely toxic by ingestion, nor are they absorbed through the skin. Skin exposure may cause contact or allergic dermatitis and/or argyria.

5. Fire Fighting Measures

Fire and Explosion Hazards

These products are non-flammable and non-explosive. If present in a fire or explosion, they may emit fumes of the constituent metals or their oxides.

Extinguishing Media

Use dry chemical. Do not use water.

Fire Fighting Instructions

If fighting a fire in which these products are present, wear a self-contained breathing apparatus with full facepiece operated in pressure-demand or other positive pressure mode.

6. Accidental Release Measures

Not applicable.

7. Handling and Storage

Handling Precautions

No special handling precautions are required.

Work and Hygiene Practices

As good hygiene practice, wash hands and face before eating, drinking, applying cosmetics, or using tobacco. Remove contaminated clothing or protective equipment before entering eating/drinking areas.

Storage Precautions

Do not store in proximity to incompatible materials (see Section #10).

8. Exposure Controls and Personal Protection

Ingredients – Exposure Limits

Copper

ACGIH TLVs: 0.2 mg/m3 TWA (fume); 1 mg/m3 TWA (dusts and mists) OSHA PELS: 0.1 mg/m3 TWA (fume); 1 mg/m3 TWA (dusts and mists)

Nickel

ACGIH TLV: 1.5 mg/m3 TWA OSHA PEL: 1 mg/m3 TWA

Silver

ACGIH TLV: 0.1 mg/m3 TWA OSHA PEL: 0.01 mg/m3 TWA

Zinc

ACGIH TLVs (as ZnO): 2 mg/m3 TWA; 10 mg/m3 STEL (respirable fractions) OSHA PEL: 5 mg/m3 TWA (as respirable fraction of ZnO dust or fume)

Ingredients – Biological Limits

Copper	No ACGIH BEI(s) or other biological limit(s)
Nickel	No ACGIH BEI(s) or other biological limit(s)
Silver	No ACGIH BEI(s) or other biological limit(s)
Zinc	No ACGIH BEI(s) or other biological limit(s)

Engineering Controls

Use dilution or local exhaust ventilation adequate to maintain concentrations of all components and their byproducts to within their applicable standards.

Eye/Face Protection

Wear eye protection adequate to prevent eye injury if the products are used with a flame. Plastic-frame spectacles with side shields are recommended

Skin Protection

Wear protective gloves and clothing to prevent skin injuries if the products are used with a flame. Avoid flammable fabrics.

Respiratory Protection

If an exposure level to a component(s) exceeds an applicable standard, use a NIOSH-approved respirator having a configuration (facepiece, filter media, assigned protection factor, etc.) effective for the concentration of the component(s) generated. For guidance on selection and use of respirators, consult American National Standard Z88.2 (ANSI, New York, NY 10036, USA).

9. Physical and Chemical Properties

Appearance: Odor: Odor Threshold: pH: Melting Point: Freezing Point: Boiling Point/Boiling Range: Flash Point: Evaporation Rate: Flammability Class: Lower Explosive Limit: Upper Explosive Limit: Upper Explosive Limit: Vapor Pressure: Vapor Density: Belative Density (H20):	White or light-yellow metal in form of wire, rod, or strip No odor Not applicable Not applicable Approximately 1,207° F / 653°F Not applicable Not determined Not applicable Not applicable
•	
Relative Density (H20):	8.35-9.70
Solubility (H2O): Oil-water Partition Coefficient:	Insoluble Not applicable
Autoignition Point: Decomposition Temperature: Viscosity:	Not applicable Not applicable Not applicable

10. Stability and Reactivity

Reactivity:	None reasonably foreseeable
Stability:	Stable
Polymerization:	Will not occur
Risk of Dangerous Reactions:	Silver and copper can form unstable acetylides in contact with acetylene gas.

Incompatible Materials

Acetylene; ammonia; ammonium nitrate; azides; nitric acid; halogens; ethylene imine; ethylene oxide; chlorine trifluoride; sulfuric acid; peroxides; peroxyformic acid; oxalic acid; tartaric acid; 1-bromo-2-propyne; hydrazine mononitrate; hydrazine; hydrazoic acid; permonosulfuric acid; hydroxylamine; hydrogen sulfide; bromates, chlorates, and iodates of alkali and alkali earth metals; selenium; tellurium; carbon disulfide; performic acid; phosphorus; sulfur; dioxane; titanium plus potassium chlorate.

Hazardous Decomposition Products

Heating to elevated temperatures may liberate metal/metal oxide fumes.

11. Toxicological Information

This product has not been tested for toxicology by the manufacturer.

<u>Ingredients – Toxicological Data</u>				
Copper	LD50: No data available	LC50: No data available		
Nickel	LD50: 5,000 mg/kg (oral/rat)	LC50: No data available		
Silver	LD50: >2,000 mg/kg (oral/rat)	LC50: No data available		
Zinc	LD50: No data available	LC50: No data available		
Primary Route(s) of Entr Inhalation.	¥			
<u>Eye Hazards</u>				
As a solid, eye contact is not a plausible mode of exposure.				
<u>Skin Hazards</u>				

As a solid, skin contact is not a plausible mode of exposure.

Ingestion Hazards

As a solid, ingestion is not a plausible mode of exposure.

Inhalation Hazards

Inhalation of toxicologically-significant quantities of the components is unlikely when the product is used in accordance with instructions and specified protective measures (see Section #8).

Symptoms Related to Overexposure

Pre-existing pulmonary diseases (e.g., bronchitis, asthma) may be aggravated by inhalation overexposure, particularly as a fume.

Delayed Effects from Long Term Overexposure

Chronic overexposure by inhalation or ingestion may aggravate pre-existing diseases of the liver, kidneys, and gastrointestinal and respiratory systems.

Carcinogenicity

Nickel is classified as a potential human carcinogen by IARC ("2b", possibly carcinogenic to humans) and NTP ("K", known to be a human carcinogen). Exposure to some compounds of nickel has been shown to increase the risk of various cancers, although these effects have not been demonstrated among individuals occupationally exposed only to nickel metal. ACGIH classifies nickel metal as "A5" (not suspected as a human carcinogen).

Germ Cell Mutagenicity

This product contains no chemicals determined to be germ cell mutagens.

Reproductive Effects

This product contains no chemicals determined to be damaging to fertility or to the unborn child.

Acute Toxicity Estimates

LD50 (oral):>2,000 mg/kgLD50 (dermal):No data availableLC50:No data availableInteractive Effects of Components: No data available.

12. Ecological Information

No ecological data is available for the product. Available ecological data for the components is as follows:

<u>Copper</u>

No data available for Aquatic Toxicity to Fish, Invertebrates, Plants, or Microorganisms, Toxicity to Terrestrial Organisms, Persistence and Degradability, Bioaccumulation Potential, or Mobility in Soil.

<u>Nickel</u>

Aquatic Toxicity to Fish: LC50 <100 mg/liter for 4 d. (Freshwater fish)

Aquatic Toxicity to Invertebrates: EC50 >100 mg/liter for 48 h. (Daphnia)

Aquatic Toxicity to Plants: EC50 = 0.18 mg/liter for 3 d. (Algae)

No data available for Aquatic Toxicity to Microorganisms, Toxicity to Terrestrial Organisms, Persistence and Degradability, Bioaccumulation Potential, or Mobility in Soil.

<u>Silver</u>

No data available for Aquatic Toxicity to Fish, Invertebrates, Plants, Microorganisms, Toxicity to Terrestrial Organisms, Persistence and Degradability, Bioaccumulation Potential, or Mobility in Soil.

<u>Zinc</u>

No data available for Aquatic Toxicity to Fish, Invertebrates, Plants, Microorganisms, Toxicity to Terrestrial Organisms, Persistence and Degradability, Bioaccumulation Potential, or Mobility in Soil.

Ozone Depletion Potential: The products contain no ingredients listed in the Annexes to the Montréal Protocol on Substances that Deplete the Ozone Layer.

13. Disposal Considerations

Do not allow the product to contaminate soil. Consult applicable Federal, State/Provincial, and local regulations.

14. Transport Information

Transport is not regulated by USDOT, TDG (Canada), IATA, or IMO.

15. Regulatory Information

United States Regulatory Information

All components of these products are listed on the EPA's TSCA inventory.

SARA Hazard Classes: Acute Health Hazard; Chronic Health Hazard

SARA Section 313 Notification

These products contain these components in concentrations >1% (>0.1% for carcinogens) subject to Section 313 of the Emergency Preparedness and Community Right-to-Know Act (EPCRA) of 1986 and of 40CFR, Part 372:

- 1. Copper (CASRN 7440-50-8)
- 2. Nickel (CASRN 7440-02-0)
- 3. Silver (CASRN 7440-22-4)

U.S. State Regulations

Nickel (CASRN 7440-02-0) - California Proposition 65 listed chemical

Canadian Regulatory Information

All components of these products are listed on either the Domestic Substances List (DSL) or the Nondomestic Substances List (NDSL).

WHMIS Class(es) and Division(s): D2A, D2B

Components on Ingredients Disclosure List:

1. Copper, elemental (CASRN 7440-50-8)

- 2. Nickel, elemental (CASRN 7440-02-0)
- 3. Silver, elemental (CASRN 7440-22-4)

This product has been classified according to the hazard criteria of the CPR and this SDS contains all of the information required by the CPR.

16. Other Information

HMIS Ratings (Legend)

Health - 2* (moderate chronic hazard)

Flammability - 1 (slight hazard)

Physical Hazard – 1 (slight hazard)

PPE - See Note

Note: Phoenix Orthodontics recommends use of protective eyewear and gloves (Personal Protection Index "B") as standard PPE. HMIS recommends that its ratings be used only in conjunction with a fully implemented HMIS program, and that specific PPE codes be created by the user, who is familiar with the actual conditions under which the product is used. We cannot anticipate every condition of the product's use, and it is the user's responsibility to evaluate the hazards pertinent to its specific operations, and to determine the specific PPE required.

NFPA Ratings Health – 2 Flammability – 1 Reactivity – 1 Preparation Information Date of Preparation: December 12, 2014 Date of Prior SDS: January 1, 2013

17. Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy of completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purpose or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.